


Compact range

Non-illuminated flush pushbuttons - Momentary



Operator	Bezel	Contacts	Type	Order code	Pkg qty	Weight (1 pce)		
						kg		
● Red	Black plastic	1 0	CP1-10R-10	1SFA619100R1011	10	0.018		
		0 1	CP1-10R-01	1SFA619100R1041	10	0.018		
		1 1	CP1-10R-11	1SFA619100R1071	10	0.022		
		2 0	CP1-10R-20	1SFA619100R1021	10	0.022		
		0 2	CP1-10R-02	1SFA619100R1051	10	0.022		
		1 0	CP1-30R-10	1SFA619100R3011	10	0.032		
	Chrome metal	0 1	CP1-30R-01	1SFA619100R3041	10	0.032		
		1 1	CP1-30R-11	1SFA619100R3071	10	0.036		
		2 0	CP1-30R-20	1SFA619100R3021	10	0.036		
		0 2	CP1-30R-02	1SFA619100R3051	10	0.036		
		● Green	Black plastic	1 0	CP1-10G-10	1SFA619100R1012	10	0.018
				1 1	CP1-10G-11	1SFA619100R1072	10	0.022
2 0	CP1-10G-20			1SFA619100R1022	10	0.022		
Chrome metal	1 0		CP1-30G-10	1SFA619100R3012	10	0.032		
	1 1		CP1-30G-11	1SFA619100R3072	10	0.036		
	2 0		CP1-30G-20	1SFA619100R3022	10	0.036		
● Yellow	Black plastic	1 0	CP1-10Y-10	1SFA619100R1013	10	0.018		
		1 1	CP1-10Y-11	1SFA619100R1073	10	0.022		
		2 0	CP1-10Y-20	1SFA619100R1023	10	0.022		
	Chrome metal	1 0	CP1-30Y-10	1SFA619100R3013	10	0.032		
		1 1	CP1-30Y-11	1SFA619100R3073	10	0.036		
		2 0	CP1-30Y-20	1SFA619100R3023	10	0.036		
● Blue	Black plastic	1 0	CP1-10L-10	1SFA619100R1014	10	0.018		
		1 1	CP1-10L-11	1SFA619100R1074	10	0.022		
		2 0	CP1-10L-20	1SFA619100R1024	10	0.022		
	Chrome metal	1 0	CP1-30L-10	1SFA619100R3014	10	0.032		
		1 1	CP1-30L-11	1SFA619100R3074	10	0.036		
		2 0	CP1-30L-20	1SFA619100R3024	10	0.036		
○ White	Black plastic	1 0	CP1-10W-10	1SFA619100R1015	10	0.018		
		1 1	CP1-10W-11	1SFA619100R1075	10	0.022		
		2 0	CP1-10W-20	1SFA619100R1025	10	0.022		
	Chrome metal	1 0	CP1-30W-10	1SFA619100R3015	10	0.032		
		1 1	CP1-30W-11	1SFA619100R3075	10	0.036		
		2 0	CP1-30W-20	1SFA619100R3025	10	0.036		
● Black	Black plastic	1 0	CP1-10B-10	1SFA619100R1016	10	0.018		
		0 1	CP1-10B-01	1SFA619100R1046	10	0.018		
		1 1	CP1-10B-11	1SFA619100R1076	10	0.022		
		2 0	CP1-10B-20	1SFA619100R1026	10	0.022		
		0 2	CP1-10B-02	1SFA619100R1056	10	0.022		
		1 0	CP1-30B-10	1SFA619100R3016	10	0.032		
	Chrome metal	0 1	CP1-30B-01	1SFA619100R3046	10	0.032		
		1 1	CP1-30B-11	1SFA619100R3076	10	0.036		
		2 0	CP1-30B-20	1SFA619100R3026	10	0.036		
		0 2	CP1-30B-02	1SFA619100R3056	10	0.036		




CP1
Dimensions (mm, inches)

Compact range

Non-illuminated flush pushbuttons - Momentary



Operator	Bezel	Marking	Contacts	Type	Order code	Pkg qty	Weight (1 pce)
● Red	Black plastic	O	0 1	CP13-10R-01	1SFA619130R1041	10	0.018
		O	1 1	CP13-10R-11	1SFA619130R1071	10	0.022
		STOP	1 1	CP9-1009	1SFA619199R1009	10	0.022
		OFF	1 1	CP9-1033	1SFA619199R1033	10	0.022
● Green	Black plastic	I	1 0	CP11-10G-10	1SFA619110R1012	10	0.018
		I	1 1	CP11-10G-11	1SFA619110R1072	10	0.022
		START	1 1	CP9-1007	1SFA619199R1007	10	0.022
		START	2 0	CP9-1008	1SFA619199R1008	10	0.022
		ON	1 1	CP9-1034	1SFA619199R1034	10	0.022
		↑	1 1	CP9-1019	1SFA619199R1019	10	0.022
		RESET	1 1	CP9-1021	1SFA619199R1021	10	0.022
○ White	Black plastic	I	1 0	CP11-10W-10	1SFA619110R1015	10	0.018
		I	1 1	CP11-10W-11	1SFA619110R1075	10	0.022
		II	1 0	CP12-10W-10	1SFA619120R1015	10	0.018
		II	1 1	CP12-10W-11	1SFA619120R1075	10	0.022
		↑	1 0	CP9-1052	1SFA619199R1052	10	0.018
		↑	2 0	CP9-1006	1SFA619199R1006	10	0.022
		↑	1 1	CP9-1005	1SFA619199R1005	10	0.022
		←	1 1	CP9-1040	1SFA619199R1040	10	0.022
		⚠	1 0	CP9-1077	1SFA619199R1077	10	0.018
		Chrome metal	I	1 0	CP11-30W-10	1SFA619110R3015	10
● Black	Black plastic	O	1 1	CP13-10B-11	1SFA619130R1076	10	0.022
		→	1 1	CP9-1015	1SFA619199R1015	10	0.022
		→	2 0	CP9-1032	1SFA619199R1032	10	0.022
		↑	1 1	CP9-1016	1SFA619199R1016	10	0.022
		↓	1 0	CP9-1036	1SFA619199R1036	10	0.018
		↓	1 1	CP9-1020	1SFA619199R1020	10	0.022
		→	1 1	CP9-1041	1SFA619199R1041	10	0.022



CP2
Dimensions (mm, inches)


04

Compact range

Non-illuminated flush pushbuttons - Maintained



Operator	Bezel	Contacts	Type	Order code	Pkg qty	Weight (1 pce)	
						kg	
● Red	Black plastic	1 0	CP2-10R-10	1SFA619101R1011	10	0.018	
			CP2-10R-01	1SFA619101R1041	10	0.018	
			CP2-10R-11	1SFA619101R1071	10	0.022	
		2 0	CP2-10R-20	1SFA619101R1021	10	0.022	
			CP2-10R-02	1SFA619101R1051	10	0.022	
			CP2-10R-12	1SFA619101R1081	10	0.022	
	Chrome metal	1 0	CP2-30R-10	1SFA619101R3011	10	0.032	
			CP2-30R-01	1SFA619101R3041	10	0.032	
			CP2-30R-11	1SFA619101R3071	10	0.036	
		2 0	CP2-30R-20	1SFA619101R3021	10	0.036	
			CP2-30R-02	1SFA619101R3051	10	0.036	
			CP2-30R-12	1SFA619101R3081	10	0.036	
● Green	Black plastic	1 0	CP2-10G-10	1SFA619101R1012	10	0.018	
			CP2-10G-11	1SFA619101R1072	10	0.022	
			CP2-10G-20	1SFA619101R1022	10	0.022	
		Chrome metal	1 0	CP2-30G-10	1SFA619101R3012	10	0.032
				CP2-30G-11	1SFA619101R3072	10	0.036
				CP2-30G-20	1SFA619101R3022	10	0.036
	● Yellow	Black plastic	1 0	CP2-10Y-10	1SFA619101R1013	10	0.018
				CP2-10Y-11	1SFA619101R1073	10	0.022
				CP2-10Y-20	1SFA619101R1023	10	0.022
		Chrome metal	1 1	CP2-30Y-11	1SFA619101R3073	10	0.036
				CP2-30Y-20	1SFA619101R3023	10	0.036
				CP2-30Y-12	1SFA619101R3083	10	0.036
● Blue	Black plastic	1 0	CP2-10L-10	1SFA619101R1014	10	0.018	
			CP2-10L-11	1SFA619101R1074	10	0.022	
			CP2-10L-20	1SFA619101R1024	10	0.022	
	Chrome metal	1 0	CP2-30L-10	1SFA619101R3014	10	0.032	
			CP2-30L-20	1SFA619101R3024	10	0.036	
			CP2-30L-12	1SFA619101R3084	10	0.036	
○ White	Black plastic	1 0	CP2-10W-10	1SFA619101R1015	10	0.018	
			CP2-10W-11	1SFA619101R1075	10	0.022	
			CP2-10W-20	1SFA619101R1025	10	0.022	
	Chrome metal	1 0	CP2-30W-10	1SFA619101R3015	10	0.032	
			CP2-30W-20	1SFA619101R3025	10	0.036	
			CP2-30W-12	1SFA619101R3085	10	0.036	
● Black	Black plastic	1 0	CP2-10B-10	1SFA619101R1016	10	0.018	
			CP2-10B-01	1SFA619101R1046	10	0.018	
			CP2-10B-11	1SFA619101R1076	10	0.022	
		2 0	CP2-10B-20	1SFA619101R1026	10	0.022	
			CP2-10B-02	1SFA619101R1056	10	0.022	
			CP2-10B-12	1SFA619101R1086	10	0.022	
	Chrome metal	1 0	CP2-30B-10	1SFA619101R3016	10	0.032	
			CP2-30B-01	1SFA619101R3046	10	0.032	
			CP2-30B-11	1SFA619101R3076	10	0.036	
		2 0	CP2-30B-20	1SFA619101R3026	10	0.036	
			CP2-30B-02	1SFA619101R3056	10	0.036	
			CP2-30B-12	1SFA619101R3086	10	0.036	



CP2
Dimensions (mm, inches)

Compact range

Non-illuminated extended pushbuttons - Momentary



CP3-10R-10

1SFCL199V0001



CP3-10G-10

1SFCL1204V0001



CP3-30Y-10

1000/0000
1SFCL1816V0001



CP3-10L-10

1SFCL1919V0001



CP3-30W-10

1SFCL1203V0001




CP3-10B-10

1SFCL13200V0001

Operator	Bezel	Contacts	Type	Order code	Pkg qty	Weight (1 pce)		
						kg		
● Red	Black plastic	1 0	CP3-10R-10	1SFA619102R1011	10	0.019		
			CP3-10R-01	1SFA619102R1041	10	0.019		
			CP3-10R-11	1SFA619102R1071	10	0.022		
		2 0	CP3-10R-20	1SFA619102R1021	10	0.022		
			CP3-10R-02	1SFA619102R1051	10	0.022		
			CP3-10R-12	1SFA619102R1081	10	0.022		
	Chrome metal	0 1	CP3-30R-01	1SFA619102R3041	10	0.033		
			CP3-30R-11	1SFA619102R3071	10	0.036		
			CP3-30R-20	1SFA619102R3021	10	0.036		
		1 1	CP3-10G-10	1SFA619102R1012	10	0.019		
			CP3-10G-11	1SFA619102R1072	10	0.022		
			CP3-10G-20	1SFA619102R1022	10	0.022		
● Green	Black plastic	1 0	CP3-30G-10	1SFA619102R3012	10	0.033		
			CP3-30G-11	1SFA619102R3072	10	0.036		
			CP3-30G-20	1SFA619102R3022	10	0.036		
	Chrome metal	2 0	CP3-10Y-10	1SFA619102R1013	10	0.019		
			CP3-10Y-11	1SFA619102R1073	10	0.022		
			CP3-10Y-20	1SFA619102R1023	10	0.022		
● Yellow	Black plastic	2 0	CP3-30Y-20	1SFA619102R3023	10	0.036		
			Chrome metal	1 0	CP3-10L-10	1SFA619102R1014	10	0.019
					CP3-10L-11	1SFA619102R1074	10	0.022
	CP3-10L-20	1SFA619102R1024			10	0.022		
	● Blue	Black plastic	2 0	CP3-30L-20	1SFA619102R3024	10	0.036	
				Chrome metal	1 0	CP3-10W-10	1SFA619102R1015	10
CP3-10W-11						1SFA619102R1075	10	0.022
CP3-10W-20		1SFA619102R1025	10			0.022		
○ White		Black plastic	1 0	CP3-30W-10	1SFA619102R3015	10	0.033	
				CP3-30W-11	1SFA619102R3075	10	0.036	
	CP3-30W-20			1SFA619102R3025	10	0.036		
	Chrome metal	2 0	CP3-10B-10	1SFA619102R1016	10	0.019		
			CP3-10B-01	1SFA619102R1046	10	0.019		
			CP3-10B-11	1SFA619102R1076	10	0.022		
● Black	Black plastic	2 0	CP3-10B-20	1SFA619102R1026	10	0.022		
			CP3-10B-02	1SFA619102R1056	10	0.022		
			CP3-10B-12	1SFA619102R1086	10	0.022		
	Chrome metal	1 0	CP3-30B-10	1SFA619102R3016	10	0.033		
			CP3-30B-01	1SFA619102R3046	10	0.033		
			CP3-30B-11	1SFA619102R3076	10	0.036		
					10	0.036		

Operator	Bezel	Marking	Contacts	Type	Order code	Pkg qty	Weight (1 pce)
● Red	Black plastic	O	0 1	CP33-10R-01	1SFA619132R1041	10	0.019
		STOP	1 1	CP9-1018	1SFA619199R1018	10	0.019
● Black	Black plastic	O	0 1	CP33-10B-01	1SFA619132R1046	10	0.019
			0 2	CP33-10B-02	1SFA619132R1056	10	0.019




CP3
Dimensions (mm, inches)

Compact range

Non-illuminated extended pushbuttons - Maintained



Operator	Bezel	Contacts	Type	Order code	Pkg qty	Weight (1 pce)		
						kg		
● Red	Black plastic		1 0	CP4-10R-10	1SFA619103R1011	10	0.019	
			0 1	CP4-10R-01	1SFA619103R1041	10	0.019	
			1 1	CP4-10R-11	1SFA619103R1071	10	0.022	
			2 0	CP4-10R-20	1SFA619103R1021	10	0.022	
			0 2	CP4-10R-02	1SFA619103R1051	10	0.022	
● Green	Chrome metal		1 1	CP4-30R-11	1SFA619103R3071	10	0.036	
			Black plastic	1 0	CP4-10G-10	1SFA619103R1012	10	0.019
				1 1	CP4-10G-11	1SFA619103R1072	10	0.022
				2 0	CP4-10G-20	1SFA619103R1022	10	0.022
			Chrome metal	1 0	CP4-30G-10	1SFA619103R3012	10	0.033
2 0	CP4-30G-20	1SFA619103R3022		10	0.036			
● Yellow	Black plastic		1 0	CP4-10Y-10	1SFA619103R1013	10	0.019	
			1 1	CP4-10Y-11	1SFA619103R1073	10	0.022	
● Blue	Black plastic		1 0	CP4-10L-10	1SFA619103R1014	10	0.019	
			1 1	CP4-10L-11	1SFA619103R1074	10	0.022	
○ White	Black plastic		1 0	CP4-10W-10	1SFA619103R1015	10	0.019	
			1 1	CP4-10W-11	1SFA619103R1075	10	0.022	
● Black	Black plastic		1 0	CP4-10B-10	1SFA619103R1016	10	0.019	
			1 1	CP4-10B-11	1SFA619103R1076	10	0.022	
			2 0	CP4-10B-20	1SFA619103R1026	10	0.022	
			0 2	CP4-10B-02	1SFA619103R1056	10	0.022	



CP4
Dimensions (mm, inches)

Compact range

Illuminated flush pushbuttons - Momentary



CP1-11R-10

1SFCL5151V0001



CP1-11G-10

1SFCL5118R0001



CP1-31Y-10

1SFCL5118R0001



CP1-11L-10


1SFCL5114R0001



CP1-31C-10

1SFCL5175V0001

Operator	Bezel	Contacts	Type	Order code	Pkg qty	Weight (1 pce)
						kg
Rated voltage 24 V AC / DC						
● Red	Black plastic	1 0	CP1-11R-10	1SFA619100R1111	10	0.025
		0 1	CP1-11R-01	1SFA619100R1141	10	0.025
	Chrome metal	1 0	CP1-31R-10	1SFA619100R3111	10	0.039
		0 1	CP1-31R-01	1SFA619100R3141	10	0.039
● Green	Black plastic	1 0	CP1-11G-10	1SFA619100R1112	10	0.025
	Chrome metal	1 0	CP1-31G-10	1SFA619100R3112	10	0.039
● Yellow	Black plastic	1 0	CP1-11Y-10	1SFA619100R1113	10	0.025
	Chrome metal	1 0	CP1-31Y-10	1SFA619100R3113	10	0.039
● Blue	Black plastic	1 0	CP1-11L-10	1SFA619100R1114	10	0.025
	Chrome metal	1 0	CP1-31L-10	1SFA619100R3114	10	0.039
		0 1	CP1-31L-01	1SFA619100R3144	10	0.039
○ Clear	Black plastic	1 0	CP1-11C-10	1SFA619100R1118	10	0.025
	Chrome metal	1 0	CP1-31C-10	1SFA619100R3118	10	0.039
Rated voltage 110...130 V AC / DC						
● Red	Black plastic	1 0	CP1-12R-10	1SFA619100R1211	10	0.025
		0 1	CP1-12R-01	1SFA619100R1241	10	0.025
● Green	Black plastic	1 0	CP1-12G-10	1SFA619100R1212	10	0.025
● Yellow	Black plastic	1 0	CP1-12Y-10	1SFA619100R1213	10	0.025
● Blue	Black plastic	1 0	CP1-12L-10	1SFA619100R1214	10	0.025
○ Clear	Black plastic	1 0	CP1-12C-10	1SFA619100R1218	10	0.025
Rated voltage 230 V AC / DC						
● Red	Black plastic	1 0	CP1-13R-10	1SFA619100R1311	10	0.025
		0 1	CP1-13R-01	1SFA619100R1341	10	0.025
● Green	Black plastic	1 0	CP1-13G-10	1SFA619100R1312	10	0.025
● Yellow	Black plastic	1 0	CP1-13Y-10	1SFA619100R1313	10	0.025
● Blue	Black plastic	1 0	CP1-13L-10	1SFA619100R1314	10	0.025
○ Clear	Black plastic	1 0	CP1-13C-10	1SFA619100R1318	10	0.025



CP1


Dimensions (mm, inches)

Compact range

Illuminated flush pushbuttons - Maintained



Operator	Bezel	Contacts	Type	Order code	Pkg qty	Weight (1 pce)
Rated voltage 24 V AC / DC						
● Red	Black plastic	1 0	CP2-11R-10	1SFA619101R1111	10	0.025
		0 1	CP2-11R-01	1SFA619101R1141	10	0.025
● Green	Black plastic	1 0	CP2-11G-10	1SFA619101R1112	10	0.025
● Yellow	Black plastic	1 0	CP2-11Y-10	1SFA619101R1113	10	0.025
● Blue	Black plastic	1 0	CP2-11L-10	1SFA619101R1114	10	0.025
○ Clear	Black plastic	1 0	CP2-11C-10	1SFA619101R1118	10	0.025
Rated voltage 110...130 V AC / DC						
● Red	Black plastic	1 0	CP2-12R-10	1SFA619101R1211	10	0.025
		0 1	CP2-12R-01	1SFA619101R1241	10	0.025
● Green	Black plastic	1 0	CP2-12G-10	1SFA619101R1212	10	0.025
● Yellow	Black plastic	1 0	CP2-12Y-10	1SFA619101R1213	10	0.025
● Blue	Black plastic	1 0	CP2-12L-10	1SFA619101R1214	10	0.025
○ Clear	Black plastic	1 0	CP2-12C-10	1SFA619101R1218	10	0.025
Rated voltage 230 V AC / DC						
● Red	Black plastic	1 0	CP2-13R-10	1SFA619101R1311	10	0.025
		0 1	CP2-13R-01	1SFA619101R1341	10	0.025
● Green	Black plastic	1 0	CP2-13G-10	1SFA619101R1312	10	0.025
● Yellow	Black plastic	1 0	CP2-13Y-10	1SFA619101R1313	10	0.025
● Blue	Black plastic	1 0	CP2-13L-10	1SFA619101R1314	10	0.025
○ Clear	Black plastic	1 0	CP2-13C-10	1SFA619101R1318	10	0.025



CP1
Dimensions (mm, inches)

Compact range

Illuminated extended pushbuttons - Momentary



CP3-11R-10

1SFCL51210V0001



CP3-11G-10

1SFCL51213V0001




CP3-11Y-10

1SFCL51208V0001



Operator	Bezel	Contacts	Type	Order code	Pkg qty	Weight (1 pce)
kg						
Rated voltage 24 V AC / DC						
● Red	Black plastic	1 0	CP3-11R-10	1SFA619102R1111	10	0.025
		0 1	CP3-11R-01	1SFA619102R1141	10	0.025
● Green	Black plastic	1 0	CP3-11G-10	1SFA619102R1112	10	0.025
● Yellow	Black plastic	1 0	CP3-11Y-10	1SFA619102R1113	10	0.025
● Blue	Black plastic	1 0	CP3-11L-10	1SFA619102R1114	10	0.025
○ Clear	Black plastic	1 0	CP3-11C-10	1SFA619102R1118	10	0.025
Rated voltage 110...130 V AC / DC						
● Red	Black plastic	1 0	CP3-12R-10	1SFA619102R1211	10	0.025
		0 1	CP3-12R-01	1SFA619102R1241	10	0.025
● Green	Black plastic	1 0	CP3-12G-10	1SFA619102R1212	10	0.025
● Yellow	Black plastic	1 0	CP3-12Y-10	1SFA619102R1213	10	0.025
● Blue	Black plastic	1 0	CP3-12L-10	1SFA619102R1214	10	0.025
○ Clear	Black plastic	1 0	CP3-12C-10	1SFA619102R1218	10	0.025
Rated voltage 230 V AC / DC						
● Red	Black plastic	1 0	CP3-13R-10	1SFA619102R1311	10	0.025
		0 1	CP3-13R-01	1SFA619102R1341	10	0.025
● Green	Black plastic	1 0	CP3-13G-10	1SFA619102R1312	10	0.025
● Yellow	Black plastic	1 0	CP3-13Y-10	1SFA619102R1313	10	0.025
● Blue	Black plastic	1 0	CP3-13L-10	1SFA619102R1314	10	0.025
○ Clear	Black plastic	1 0	CP3-13C-10	1SFA619102R1318	10	0.025



CP3


Dimensions (mm, inches)

Compact range

Illuminated extended pushbuttons - Maintained



Operator	Bezel	Contacts	Type	Order code	Pkg qty	Weight (1 pce)
kg						
Rated voltage 24 V AC / DC						
● Red	Black plastic	1 0	CP4-11R-10	1SFA619103R1111	10	0.025
		0 1	CP4-11R-01	1SFA619103R1141	10	0.025
● Green	Black plastic	1 0	CP4-11G-10	1SFA619103R1112	10	0.025
● Yellow	Black plastic	1 0	CP4-11Y-10	1SFA619103R1113	10	0.025
● Blue	Black plastic	1 0	CP4-11L-10	1SFA619103R1114	10	0.025
○ Clear	Black plastic	1 0	CP4-11C-10	1SFA619103R1118	10	0.025
Rated voltage 110...130 V AC / DC						
● Red	Black plastic	1 0	CP4-12R-10	1SFA619103R1211	10	0.025
		0 1	CP4-12R-01	1SFA619103R1241	10	0.025
● Green	Black plastic	1 0	CP4-12G-10	1SFA619103R1212	10	0.025
● Yellow	Black plastic	1 0	CP4-12Y-10	1SFA619103R1213	10	0.025
● Blue	Black plastic	1 0	CP4-12L-10	1SFA619103R1214	10	0.025
○ Clear	Black plastic	1 0	CP4-12C-10	1SFA619103R1218	10	0.025
Rated voltage 230 V AC / DC						
● Red	Black plastic	1 0	CP4-13R-10	1SFA619103R1311	10	0.025
		0 1	CP4-13R-01	1SFA619103R1341	10	0.025
● Green	Black plastic	1 0	CP4-13G-10	1SFA619103R1312	10	0.025
● Yellow	Black plastic	1 0	CP4-13Y-10	1SFA619103R1313	10	0.025
● Blue	Black plastic	1 0	CP4-13L-10	1SFA619103R1314	10	0.025
○ Clear	Black plastic	1 0	CP4-13C-10	1SFA619103R1318	10	0.025



CP4
Dimensions (mm, inches)